

EAST Search History

10/8/11, 4:28

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4921	544/253.ccls. and TGFB or (transforming adj growth adj factor-beta)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 14:06
L2	0	544/253.ccls. and transforming adj growth adj factor-beta	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 14:06
L3	0	544/253.ccls. and (transforming adj growth adj factor-beta)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 14:06
L4	0	544/253.ccls. and (TGFB)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 14:07
L5	0	544/253.ccls. and TGFB	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 14:07
L6	467	(544/253).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 14:09
L7	0	(544/253andcompound).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 14:09
L8	229	l6 and (transforming growth factor)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 14:10
L9	2	l6 and (transforming adj growth adj factor)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 14:22
L10	154	(514/258.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 14:22
L11	0	l10 and (transforming adj growth adj factor)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 14:25
L12	0	L10 and (transforming adj growth adj factor)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 14:26
L13	5	L10 and (TGF)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 14:26
L14	0	L10 and (TGF.clm.)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 14:26

50613257

10/118,428

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTANXR1625

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 OCT 23 The Derwent World Patents Index suite of databases on STN
has been enhanced and reloaded
NEWS 4 OCT 30 CHEMLIST enhanced with new search and display field
NEWS 5 NOV 03 JAPIO enhanced with IPC 8 features and functionality
NEWS 6 NOV 10 CA/CAPLUS F-Term thesaurus enhanced
NEWS 7 NOV 10 STN Express with Discover! free maintenance release Version
8.01c now available
NEWS 8 NOV 20 CAS Registry Number crossover limit increased to 300,000 in
additional databases
NEWS 9 NOV 20 CA/CAPLUS to MARPAT accession number crossover limit increased
to 50,000
NEWS 10 DEC 01 CAS REGISTRY updated with new ambiguity codes
NEWS 11 DEC 11 CAS REGISTRY chemical nomenclature enhanced
NEWS 12 DEC 14 WPIDS/WPINDEX/WPIX manual codes updated
NEWS 13 DEC 14 GBFULL and FRFULL enhanced with IPC 8 features and
functionality
NEWS 14 DEC 18 CA/CAPLUS pre-1967 chemical substance index entries enhanced
with preparation role
NEWS 15 DEC 18 CA/CAPLUS patent kind codes updated
NEWS 16 DEC 18 MARPAT to CA/CAPLUS accession number crossover limit increased
to 50,000
NEWS 17 DEC 18 MEDLINE updated in preparation for 2007 reload
NEWS 18 DEC 27 CA/CAPLUS enhanced with more pre-1907 records
NEWS 19 JAN 08 CHEMLIST enhanced with New Zealand Inventory of Chemicals

NEWS EXPRESS NOVEMBER 10 CURRENT WINDOWS VERSION IS V8.01c, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8
NEWS X25 X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

Erich Leeser

50613257

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 15:27:23 ON 12 JAN 2007

=> file CAPLUS

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'CAPLUS' ENTERED AT 15:27:37 ON 12 JAN 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 12 Jan 2007 VOL 146 ISS 4

FILE LAST UPDATED: 11 Jan 2007 (20070111/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s transforming growth factor beta

67297 TRANSFORMING

1316611 GROWTH

4444 GROWTHS

1318879 GROWTH

(GROWTH OR GROWTHS)

1011346 FACTOR

911973 FACTORS

1594774 FACTOR

(FACTOR OR FACTORS)

1428937 BETA

1328 BETAS

1429013 BETA

(BETA OR BETAS)

L1 31500 TRANSFORMING GROWTH FACTOR BETA

(TRANSFORMING (W) GROWTH (W) FACTOR (W) BETA)

=> s l1 and inhibit?

1892670 INHIBIT?

L2 14096 L1 AND INHIBIT?

=> s l2 and disease?

1036739 DISEASE?

L3 4543 L2 AND DISEASE?

=> s l3 and inflammator?

Erich Leeser

50613257

170803 INFLAMMATOR?
L4 1028 L3 AND INFLAMMATOR?

=> s l4 and arthritis?
44491 ARTHRITIS?

L5 148 L4 AND ARTHRITIS?

=> s l5 and py<2003
22868738 PY<2003
L6 59 L5 AND PY<2003

=> s l6 and disorder/
'DISORDER/' IS NOT A VALID FIELD CODE
For a list of field codes for the current file, enter "HELP SFIELDS"
at an arrow prompt (=>).

=> s l6 and disorder?
442986 DISORDER?
L7 21 L6 AND DISORDER?

=> d ibib abs hitstr tot

L7 ANSWER 1 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2002:793447 CAPLUS
DOCUMENT NUMBER: 137:304813
TITLE: Modulators of hedgehog signaling pathway for treatment
of T-cell-mediated diseases
INVENTOR(S): Lamb, Jonathan Robert; Hoyne, Gerard Francis; Dallman,
Margaret Jane; Champion, Brian Robert
PATENT ASSIGNEE(S): Lorantis Limited, UK
SOURCE: PCT Int. Appl., 154 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002080952	A2	20021017	WO 2002-GB1666	20020409 <--
WO 2002080952	A3	20040108		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2002247847	A1	20021021	AU 2002-247847	20020409 <--
EP 1401469	A2	20040331	EP 2002-716928	20020409
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
JP 2004534743	T	20041118	JP 2002-578991	20020409
US 2004126359	A1	20040701	US 2003-682230	20031009
PRIORITY APPLN. INFO.:			GB 2001-8872	A 20010409
			GB 2001-8873	A 20010409
			WO 2002-GB1666	W 20020409

Erich Leeser

50613257

AB Use of a modulator of a Hedgehog signaling pathway, or a modulator of a pathway which is a target of the Hedgehog signaling pathway in the preparation of a medicament for treatment of a disease or disorder associated with a T-cell mediated disease or disorder.

L7 ANSWER 2 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:777707 CAPLUS

DOCUMENT NUMBER: 137:273242

TITLE: Carbon monoxide-generating compounds for treatment of vascular, inflammatory and immune disorders

INVENTOR(S): Buelow, Roland; Woo, Jacky

PATENT ASSIGNEE(S): Sangstat Medical Corporation, USA

SOURCE: PCT Int. Appl., 59 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002078684	A2	20021010	WO 2002-US10115	20020401 <--
WO 2002078684	A3	20021219		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
CA 2442457	A1	20021010	CA 2002-2442457	20020401 <--
EP 1381354	A2	20040121	EP 2002-757910	20020401
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
CN 1507348	A	20040623	CN 2002-809432	20020401
JP 2004526739	T	20040902	JP 2002-576950	20020401
PRIORITY APPLN. INFO.:			US 2001-280526P	P 20010330
			WO 2002-US10115	W 20020401

AB Methods and compns. are provided for treating vascular disease and modulating the inflammatory and immune processes using carbon monoxide-generating compds., including methylene chloride. The compds. are capable of inhibiting the proliferation of vascular smooth muscle cells, protecting the vasculature against oxidative stress and injury, modulating the activity of various immune system cells, inhibiting the production of pro-inflammatory cytokines and enhancing production of anti-inflammatory cytokines, thereby being effective in the treatment of conditions associated with adverse proliferative or inflammatory responses. Methods for extending the survival of an organ transplant and inhibiting chronic rejection in a recipient are also provided.

L7 ANSWER 3 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:713810 CAPLUS

DOCUMENT NUMBER: 138:265336

TITLE: Metallothionein suppresses collagen-induced arthritis via induction of TGF- β and down-regulation of proinflammatory mediators

Erich Leeser

50613257

AUTHOR(S): Youn, J.; Hwang, S.-H.; Ryoo, Z.-Y.; Lynes, M. A.;
Paik, D.-J.; Chung, H.-S.; Kim, H.-Y.
CORPORATE SOURCE: Institute of Biomedical Science and Department of
Anatomy and Cell Biology, College of Medicine, Hanyang
University, Seoul, S. Korea
SOURCE: Clinical and Experimental Immunology (2002),
129(2), 232-239
CODEN: CEXIAL; ISSN: 0009-9104
PUBLISHER: Blackwell Science Ltd.
DOCUMENT TYPE: Journal
LANGUAGE: English

AB Metallothionein is a low mol. weight, cysteine-rich, stress response protein that can act as an antioxidant and as an immunosuppressive agent in instances of antigen-dependent adaptive immunity. In this context, the authors assessed the therapeutic potential and mechanisms of action of metallothionein in a collagen-induced arthritis model. Repeated administration of metallothionein-I + II during the course of disease dramatically reduced the incidence and severity of the disease. Joint tissues isolated from boosted paws of metallothionein-I + II-treated mice expressed significantly reduced levels of proinflammatory mediators, such as tumor necrosis factor (TNF)- α and cyclooxygenase-2, when compared with those of control-treated mice. Lymph node cells obtained from metallothionein-I + II -injected mice exhibited a significant decrease in the proliferative response and a remarkable increase in tumor growth factor (TGF)- β production in response to type II collagen. Taken together, these results suggest that metallothionein-I + II promote the development of type II collagen-specific, TGF- β -producing cells to antagonize the expansion of arthritogenic cells. This could lead to local suppression of inflammatory responses by inhibiting the expression of proinflammatory mols. Thus, this study demonstrates the suppressive effects of metallothionein on collagen-induced arthritis, and indicates that there may be a potential therapeutic application for manipulation of metallothionein during the treatment of autoimmune disorders.

REFERENCE COUNT: 54 THERE ARE 54 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 4 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:594822 CAPLUS
DOCUMENT NUMBER: 137:154857
TITLE: Preparation of nicotinamide biaryl derivatives as
inhibitors of PDE4 isozymes
INVENTOR(S): Chambers, Robert James; Magee, Thomas Victor; Marfat,
Anthony
PATENT ASSIGNEE(S): Pfizer Products Inc., USA
SOURCE: PCT Int. Appl., 224 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002060875	A1	20020808	WO 2001-IB2341	20011206 <--
WO 2002060875	A8	20030731		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,				

Erich Leeser

50613257

LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH,
PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA,
UG, US, UZ, VN, YU, ZA, ZW
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
KG, KZ, MD, RU, TJ, TM, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB,
GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA,
GN, GQ, GW, ML, MR, NE, SN, TD, TG
CA 2436535 A1 20020808 CA 2001-2436535 20011206 <--
EP 1355884 A1 20031029 EP 2001-273556 20011206
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
EE 200300360 A 20031215 EE 2003-360 20011206
BR 2001016852 A 20040225 BR 2001-16852 20011206
HU 200400637 A2 20040628 HU 2004-637 20011206
JP 2004520386 T 20040708 JP 2002-561026 20011206
CN 1518542 A 20040804 CN 2001-823071 20011206
NZ 526453 A 20050128 NZ 2001-526453 20011206
US 2002193612 A1 20021219 US 2002-62813 20020131 <--
US 6649633 B2 20031118
ZA 2003004894 A 20040624 ZA 2003-4894 20030624
US 2004048903 A1 20040311 US 2003-613988 20030702
US 6953810 B2 20051011
BG 108038 A 20040730 BG 2003-108038 20030728
NO 2003003397 A 20030919 NO 2003-3397 20030730
PRIORITY APPLN. INFO.: US 2001-265492P P 20010131
WO 2001-IB2341 W 20011206
US 2002-62813 A3 20020131
OTHER SOURCE(S): MARPAT 137:154857
GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB The title compds. [I; g = 0-1; j = 0-1; provided that when j = 0, n must be 2; k = 0-1; m = 0-2; n = 1-2; W1 = 0, SOT (t = 0-2), NR3; W2 = OCR9R10, or absent; Y = CR1, NOK (k = 0-1); R9, R10 = H, F, CF3, etc.; or R9 and R10 are taken together, but only in the case where m = 1, to form a spiro moiety; R7, R8 have the same meaning as R9, R10 except that one of them must be H; R1, R2 = H, F, Cl, etc.; R3 = H, alkyl, Ph, etc.; R4-R6 = H, F, Cl, etc.; Q1 = Ph, benzodioxyl, etc.; Q2 = biaryl moiety], useful as inhibitors of PDE4 in the treatment of diseases regulated by the activation and degranulation of eosinophils, especially asthma, chronic bronchitis, and chronic obstructive pulmonary disease, were prepared E.g., a multi-step synthesis of the amide II, starting from Me 3-bromobenzoate and 4-formylbenzeneboronic acid, was given. Compds. I showed anti-inflammatory activity at 0.0001 μ M to 20.0 μ M in whole blood assay for LTE4.

REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 5 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2002:314727 CAPLUS
DOCUMENT NUMBER: 136:339498
TITLE: Methods for treating IL-18 mediated disorders
INVENTOR(S): Sims, John E.; Mohler, Kendall M.; Born, Teresa L.
PATENT ASSIGNEE(S): Immunex Corporation, USA
SOURCE: PCT Int. Appl., 53 pp.

Erich Leeser

50613257

CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002032374	A2	20020425	WO 2001-US32460	20011017 <--
WO 2002032374	A3	20020919		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
US 2002098185	A1	20020725	US 2002-981421	20020118 <--
PRIORITY APPLN. INFO.:			US 2000-241408P	P 20001018
AB The invention pertains to methods for treating medical disorders characterized by elevated levels or abnormal expression of IL-18 by administering an IL-18 antagonist, such as soluble IL-18 receptor, a soluble IL-18 binding protein and/or an antibody.				

L7 ANSWER 6 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:290814 CAPLUS

DOCUMENT NUMBER: 136:308541

TITLE: Interleukin-1 Hy2 polypeptides, polynucleotides and antibodies for prognosis, diagnosis and treatment of interleukin 1-mediated diseases

INVENTOR(S): Ballinger, Dennis G.; Pace, Ann M.; Lin, Hai Shan

PATENT ASSIGNEE(S): Hyseq, Inc., USA

SOURCE: U.S., 52 pp., Cont.-in-part of U.S. 6,175,532.

CODEN: USXXAM

DOCUMENT TYPE: Patent
 LANGUAGE: English

FAMILY ACC. NUM. COUNT: 4

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6372892	B1	20020416	US 2000-522964	20000310 <--
WO 2000071719	A1	20001130	WO 2000-US14144	20000522 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
EP 1179068	A1	20020213	EP 2000-937687	20000522 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
US 6365726	B1	20020402	US 2000-578458	20000522 <--
PRIORITY APPLN. INFO.:			US 1999-316086	A2 19990520
			US 1999-316081	A 19990520

Erich Leeser

50613257

US 2000-522964 A 20000310
WO 2000-US14144 W 20000522

AB The present invention provides novel nucleic acids encoding IL-1 Hy2, a novel member of the interleukin 1 receptor antagonist family, novel polypeptides encoded by these nucleic acids, antibodies, antisense DNA and RNA, oligonucleotide primers and probes, and others. These IL-1 Hy2 polypeptides, polynucleotides, and antibodies are useful for diagnosis, prognosis and therapy of IL-1-mediated diseases, e.g. sepsis and associated conditions, endotoxic shock, cytokine-induced shock, thrombosis, acute pancreatitis, rheumatoid or reactive arthritis, chronic inflammatory arthritis, vasculitis, lupus, immune complex glomerulonephritis, pancreatic cell damage from diabetes mellitus type 1, allograft and xenograft transplantation, graft vs. host disease, inflammatory bowel disease, inflammation associated with pulmonary disease, other autoimmune disease or inflammatory disease, acute or chronic myelogenous leukemia, ovarian carcinoma, etc. IL-1 Hy2 may be used concurrently with agents that inhibit the production or activity of interleukin 1 (e.g. GM-CSF, IL-4, IL-10, IL-13 and TGF- β) or other antiinflammatory agents (e.g. IL-1Ra, UL-1Ra-like protein IL-1 Hy1, anti-TNF, corticosteroids, immunosuppressive agent).

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 7 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:251954 CAPLUS

DOCUMENT NUMBER: 136:278157

TITLE: Polynucleotides encoding IL-1 Hy2 polypeptides

INVENTOR(S): Ballinger, Dennis G.; Ford, John; Ho, Alice Suk-Yue; Lin, Hai Shan; Pace, Ann M.

PATENT ASSIGNEE(S): Hyseq, Inc., USA

SOURCE: U.S., 62 pp., Cont.-in-part of U.S. Ser. No. 522,964.

CODEN: USXXAM

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 4

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6365726	B1	20020402	US 2000-578458	20000522 <--
US 6339141	B1	20020115	US 1999-316081	19990520 <--
US 6372892	B1	20020416	US 2000-522964	20000310 <--
PRIORITY APPLN. INFO.:			US 1999-316081	A2 19990520
			US 2000-522964	A2 20000310
			US 1999-316086	A2 19990520

AB The present invention provides novel nucleic acids encoding IL-1 Hy2, a novel member of the Interleukin-1 Receptor Antagonist family, the novel polypeptides encoded by these nucleic acids and uses of these and related products. These polypeptides and polynucleotides, as well as antibodies and antisense DNA or RNA are useful for diagnosis, prognosis, and therapy of disorders mediated by IL-1, IL-18 and/or IL-12, e.g. sepsis and associated conditions, thrombosis, acute pancreatitis, rheumatoid or reactive arthritis, chronic inflammatory arthritis, vasculitis, lupus, etc. Methods for identification of compds. that modulate the expression of activity of the polynucleotides and/or polypeptides of the invention are also provided.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

Erich Leeser

50613257

L7 ANSWER 8 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:241369 CAPLUS
DOCUMENT NUMBER: 136:261819
TITLE: Coupling of peripheral tolerance to endogenous IL-10
promotes effective modulation of T cells and
ameliorates autoimmune disease
INVENTOR(S): Zaghouani, Habib
PATENT ASSIGNEE(S): USA
SOURCE: U.S. Pat. Appl. Publ., 84 pp.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2002038002	A1	20020328	US 2001-873901	20010604 <--
CA 2416656	A1	20020404	CA 2001-2416656	20010604 <--
AU 2001065417	A5	20020408	AU 2001-65417	20010604 <--
EP 1292621	A1	20030319	EP 2001-939953	20010604
EP 1292621	B1	20060920		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
JP 2004509978	T	20040402	JP 2002-531215	20010604
AT 340193	T	20061015	AT 2001-939953	20010604
PRIORITY APPLN. INFO.:				US 2000-209527P P 20000605
				EP 2001-939953 A 20010604
				WO 2001-US40834 W 20010604

AB Immunomodulating agents comprising at least one Fc receptor ligand and at least one immunosuppressive factor are provided as are methods for their manufacture and use. The immunomodulating agents may be in the form of polypeptides or chimeric antibodies and preferably incorporate an immunosuppressive factor comprising a T cell receptor agonist or antagonist. The compds. and compns. of the invention may be used to selectively suppress the immune system to treat symptoms associated with immune disorders such as allergies, transplanted tissue rejection and autoimmune disorders including autoimmune diabetes, rheumatoid arthritis and multiple sclerosis.

L7 ANSWER 9 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:575814 CAPLUS
DOCUMENT NUMBER: 136:165344
TITLE: Degradative pathways in tissues of the temporomandibular joint: Use of in vitro and in vivo models to characterize matrix metalloproteinase and cytokine activity
AUTHOR(S): Puzas, J. Edward; Landeau, Jean-Marie; Tallents, Ross; Albright, Jeffries; Schwarz, Edward M.; Landesberg, Regina
CORPORATE SOURCE: Departments of Orthopaedics, University of Rochester School of Medicine and Dentistry, Rochester, NY, 10032, USA
SOURCE: Cells Tissues Organs (2001), 169(3), 248-256
CODEN: CTORFB; ISSN: 1422-6405
PUBLISHER: S. Karger AG
DOCUMENT TYPE: Journal
LANGUAGE: English
AB Identification of a small animal model that undergoes pathol. temporomandibular joint (TMJ) degeneration would represent a significant

Erich Leeser

research tool. To date however, no such model has been described. The authors therefore have investigated the pathol. and immunohistochem. features of the TMJ of a transgenic mouse that overexpresses the human form of TNF α . The TMJ of this animal appears to undergo changes that resemble arthritides of temporomandibular dysfunction. Furthermore, the disk and articular cells express MMP9 and IL-1. Future work should validate this animal model as one that would have utility for the study of TMJ disorders. Maintenance of connective tissues in joints such as the TMJ is a normal process that allows for the reconstitution of important anat. features. This maintenance involves both the removal and resynthesis of structural proteins such as collagens, elastins and proteoglycans. An imbalance in the pathways for degradation and synthesis can lead to the degeneration of joint tissues. The authors describe the presence of a matrix metalloproteinase, MMP9 (92 kDa gelatinase), in TMJ disk and articular cells that likely function in the degradative process. Addnl., the authors show that this enzyme is under the control of pro-inflammatory cytokines whereby TGF β and IL-1 stimulate and PGE2 inhibits its activity.

REFERENCE COUNT: 34 THERE ARE 34 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 10 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:466579 CAPLUS

DOCUMENT NUMBER: 136:165454

TITLE: Anticytokine gene therapy of autoimmune diseases

AUTHOR(S): Prud'homme, Gerald J.; Lawson, Brian R.; Theofilopoulos, Argyrios N.

CORPORATE SOURCE: The Department of Pathology, McGill University, Montreal, QC, H3A2B4, Can.

SOURCE: Expert Opinion on Biological Therapy (2001), 1(3), 359-373

CODEN: EOBTA2; ISSN: 1471-2598

PUBLISHER: Ashley Publications Ltd.

DOCUMENT TYPE: Journal; General Review

LANGUAGE: English

AB A review. Viral and nonviral gene therapy vectors have been successfully employed to deliver inflammatory cytokine inhibitors (anticytokines), or anti-inflammatory cytokines, such as transforming growth factor β -1 (TGF- β 1), which protect against exptl. autoimmune diseases. These vectors carry the relevant genes into a variety of tissues, for either localized or systemic release of the encoded protein. Administration of cDNA encoding soluble IFN- γ receptor (IFN- γ R)/IgG-Fc fusion proteins, soluble TNF- α receptors, or IL-1 receptor antagonist (IL-1ra), protects against either lupus, various forms of arthritis, autoimmune diabetes, or other autoimmune diseases. These inhibitors, unlike many cytokines, have little or no toxic potential. Similarly, TGF- β 1 gene therapy protects against numerous forms of autoimmunity, though its administration entails more risk than anticytokine therapy. We have relied on the injection of naked plasmid DNA into skeletal muscle, with or without enhancement of gene transfer by in vivo electroporation. Expression plasmids offer interesting advantages over viral vectors, since they are simple to produce, non-immunogenic and nonpathogenic. They can be repeatedly administered and after each treatment the encoded proteins are produced for relatively long periods, ranging from weeks to months. Moreover, soluble receptors which block cytokine action, encoded by gene therapy vectors, can be constructed from non-immunogenic self elements that are unlikely to be neutralized by the host immune response (unlike

50613257

monoclonal antibodies [mAbs]), allowing long-term gene therapy of chronic inflammatory disorders.

REFERENCE COUNT: 99 THERE ARE 99 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 11 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:319747 CAPLUS

DOCUMENT NUMBER: 134:331637

TITLE: Use of GDNF for treating corneal defects

INVENTOR(S): Hanke, Michael; Kruse, Friedrich; Paulista, Michael; Pohl, Jens

PATENT ASSIGNEE(S): Biopharm Gesellschaft Zur Biotechnologischen Entwicklung Von Pharmaka m.b.H., Germany

SOURCE: PCT Int. Appl., 60 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001030375	A2	20010503	WO 2000-EP10674	20001030 <--
WO 2001030375	A3	20020321		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
CA 2385929	A1	20010503	CA 2000-2385929	20001030 <--
EP 1223966	A2	20020724	EP 2000-983097	20001030 <--
EP 1223966	B1	20030502		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL			
JP 2003512433	T	20030402	JP 2001-532792	20001030
AT 238806	T	20030515	AT 2000-983097	20001030
PT 1223966	T	20030930	PT 2000-983097	20001030
ES 2198367	T3	20040201	ES 2000-983097	20001030
US 2003166537	A1	20030904	US 2002-132069	20020424
PRIORITY APPLN. INFO.:			EP 1999-121597	A 19991029
			WO 2000-EP10647	A1 20001030
			WO 2000-EP10674	W 20001030

AB The present invention relates to the use of a glial cell line-derived growth factor (GDNF) or a functionally active derivative or part thereof and/or an agonist which substitutes the functional activity of GDNF, and/or a nucleic acid containing at least a nucleotide sequence encoding the primary amino acid sequence of GDNF or the functionally active derivative or part thereof and/or of the agonist for the manufacture of a pharmaceutical composition for epidermal and stromal wound healing.

L7 ANSWER 12 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:265459 CAPLUS

DOCUMENT NUMBER: 134:290751

TITLE: Recombinant single-chain receptor antagonist proteins and their use in treatment of inflammatory disorders

Erich Leeser

50613257

INVENTOR(S): Halkier, Torben; Schambye, Hans Thalsgard; Okkels, Jens Sigurd; Andersen, Kim Vilbour; Nissen, Torben Lauesgaard; Soni, Bobby; Jeppesen, Claus Bekker; Van Den Hazel, Bart

PATENT ASSIGNEE(S): Maxygen Aps, Den.

SOURCE: PCT Int. Appl., 123 pp.
CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001025277	A1	20010412	WO 2000-DK563	20001006 <--
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
EP 1226173	A1	20020731	EP 2000-965860	20001006 <--
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL			
US 2004014948	A1	20040122	US 2003-444691	20030523
PRIORITY APPLN. INFO.:			DK 1999-1438	A 19991007
			DK 1999-1855	A 19991223
			DK 2000-1119	A 20000720
			US 1999-160820P	P 19991021
			US 2000-174655P	P 20000106
			US 2000-225723P	P 20000816
			US 2000-684720	B1 20001006
			WO 2000-DK563	W 20001006

AB The invention relates to a single-chain oligomeric protein antagonist which binds to an extracellular ligand-binding domain of a cellular receptor of a type requiring binding of an oligomeric ligand to two or more receptor subunits to be activated, the protein comprising at least two, typically structurally homologous, receptor-binding sites of which at least one is capable of binding to a ligand-binding domain of the cellular receptor and at least one is incapable of effectively binding to a ligand-binding domain of the cellular receptor, whereby the single-chain oligomeric protein is capable of binding to the receptor, but incapable of activating the receptor; as well as to nucleotide sequences encoding such single-chain oligomeric proteins, expression vectors comprising such a nucleotide sequence, recombinant host cells comprising such a nucleotide sequence or expression vector, methods for producing the nucleotide sequences and proteins, pharmaceutical compns. comprising the single-chain oligomeric protein, and use of the single-chain oligomeric protein for the production of medicaments and in therapy. A preferred single-chain antagonist according to the invention is a TNF- α antagonist. Thus, a single-chain TNF- α protein comprising of 3 human TNF- α chains connected by linker peptides was produced with *Saccharomyces cerevisiae* and shown to be an agonist of the TNF- α receptor. The same TNF- α trimer containing Y87R mutations in the first and third copies of TNF- α was also prepared. This was shown to be a partial TNF- α agonist and a competitive antagonist of the TNF- α receptor.

REFERENCE COUNT: 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS

Erich Leeser

50613257

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 13 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2000:688272 CAPLUS

DOCUMENT NUMBER: 133:280563

TITLE: Human antibodies that bind human IL-12 and methods for producing

INVENTOR(S): Salfeld, Jochen G.; Roguska, Michael; Paskind, Michael; Banerjee, Subhashis; Tracey, Daniel E.; White, Michael; Kaymakcalan, Zehra; Labkovsky, Boris; Sakorafas, Paul; Friedrich, Stuart; Myles, Angela; Veldman, Geertruida M.; Venturini, Amy; Warne, Nicholas W.; Widom, Angela; Elvin, John G.; Duncan, Alexander R.; Derbyshire, Elaine J.; Carmen, Sara; Smith, Stephen; Holtet, Thor Las; Du, Fou Sarah L.

PATENT ASSIGNEE(S): Basf A.-G., Germany; Genetics Institute Inc.; et al.

SOURCE: PCT Int. Appl., 377 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000056772	A1	20000928	WO 2000-US7946	20000324 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2365281	A1	20000928	CA 2000-2365281	20000324 <--
NZ 513945	A	20010928	NZ 2000-513945	20000324 <--
BR 2000009323	A	20020108	BR 2000-9323	20000324 <--
EP 1175446	A1	20020130	EP 2000-918396	20000324 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
HU 200200575	A2	20020629	HU 2002-575	20000324 <--
TR 200102715	T2	20020923	TR 2001-2715	20000324 <--
JP 2002542770	T	20021217	JP 2000-606632	20000324 <--
US 6914128	B1	20050705	US 2000-534717	20000324
NZ 529571	A	20060331	NZ 2000-529571	20000324
TR 200503572	T2	20060421	TR 2005-3572	20000324
ZA 2001007774	A	20021220	ZA 2001-7774	20010920 <--
NO 2001004605	A	20011126	NO 2001-4605	20010921 <--
BG 106027	A	20020628	BG 2001-106027	20011018 <--
US 2005004354	A1	20050106	US 2004-884830	20040701
AU 2005200515	A1	20050303	AU 2005-200515	20050207
AU 2006225302	A1	20061026	AU 2006-225302	20061006
PRIORITY APPLN. INFO.:			US 1999-126603P	P 19990325
			AU 2000-39216	A3 20000324
			US 2000-534717	A3 20000324
			WO 2000-US7946	W 20000324
			AU 2005-200515	A3 20050207

AB Human antibodies, preferably recombinant human antibodies, that specifically bind to human interleukin-12 (hIL-12) are disclosed. Preferred antibodies have high affinity for hIL-12 and neutralize hIL-12

Erich Leeser

50613257

activity in vitro and in vivo . An antibody of the invention can be a full-length antibody or an antigen-binding portion thereof. The antibodies, or antibody portions, of the invention are useful for detecting hIL-12 and for inhibiting hIL-12 activity, e.g., in a human subject suffering from a disorder in which hIL-12 activity is detrimental. Nucleic acids, vectors and host cells for expressing the recombinant human antibodies of the invention, and methods of synthesizing the recombinant human antibodies, are also encompassed by the invention.

REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 14 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2000:144772 CAPLUS
 DOCUMENT NUMBER: 132:189689
 TITLE: Bioreductive conjugates for drug targeting
 INVENTOR(S): Adams, Ged; Blake, David; Naughton, Declan; Stratford, Ian
 PATENT ASSIGNEE(S): Theramark Limited, UK; Adams, Margaret
 SOURCE: PCT Int. Appl., 48 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 4
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000010610	A2	20000302	WO 1999-GB2606	19990819 <--
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
AU 9954296	A1	20000314	AU 1999-54296	19990819 <--
PRIORITY APPLN. INFO.:			GB 1998-18027	A 19980819
			GB 1998-18156	A 19980820
			WO 1999-GB2606	W 19990819

OTHER SOURCE(S): MARPAT 132:189689
 AB The use of a bioreductive conjugate comprised of a noncytotoxic bioreductive moiety having linked thereto at least one therapeutic agent, and salts thereof, is disclosed for the healing of wounds and the treatment of fibrotic disorders, ulcerative colitis, inflammatory bowel disease, epilepsy, cardiovascular reperfusion injury, cerebral reperfusion injury, hypertension, cystic fibrosis, psoriasis, para-psoriasis, peptic ulcers, gastric ulcers, duodenal ulcers, diabetic ulcers dementia, oncol., AIDS, rheumatoid arthritis, diabetes, and ischemia. Various specific conjugates for treating these conditions are also disclosed.

L7 ANSWER 15 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1999:487222 CAPLUS
 DOCUMENT NUMBER: 131:120861
 TITLE: Artificial proteoglycans for drug targeting and other therapeutic applications
 INVENTOR(S): Bennett, Kelly L.; Wolff, Edith A.; Aruffo, Alejandro A.; Greenfield, W. Brad

Erich Leeser

50613257

PATENT ASSIGNEE(S): Bristol-Myers Squibb Company, USA
SOURCE: PCT Int. Appl., 61 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9937317	A1	19990729	WO 1999-US1411	19990121 <--
W:	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
AU 9934488	A	19990809	AU 1999-34488	19990121 <--
US 6559287	B1	20030506	US 1999-235230	19990121
PRIORITY APPLN. INFO.:			US 1998-72416P	P 19980124
			WO 1999-US1411	W 19990121

AB Novel artificial proteoglycans containing a GAG assembly site and a control sequence required for assembly, method for enhancing the biol. activity of a glycosaminoglycan-binding protein using artificial proteoglycans, DNA constructs of artificial proteoglycans. The artificial proteoglycans of the present invention are useful for preps. of adjuvants for vaccination, for targeting of chemokines to non-immunogenic tumor cells to enhance cellular anti-tumor response, for preps. designed to help promote wound healing, and for treatment of immunol. disorders including rheumatoid arthritis, asthma, chronic obstructive pulmonary disorder, Lupus, inflammatory bowel disease, psoriasis, osteoarthritis, and HIV infection.

REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 16 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1997:567826 CAPLUS

DOCUMENT NUMBER: 127:233174

TITLE: Anemia of chronic disorders in systemic autoimmune diseases

AUTHOR(S): Bertero, Maria Tiziana; Caligaris-Cappio, Federico

CORPORATE SOURCE: Dipartimento di Scienze Biomediche e Oncologia Umana, Cattedra di Immunologia Clinica, Universita di Torino, Turin, 10126, Italy

SOURCE: Haematologica (1997), 82(3), 375-381

CODEN: HAEMAX; ISSN: 0390-6078

PUBLISHER: Il Pensiero Scientifico

DOCUMENT TYPE: Journal; General Review

LANGUAGE: English

AB A review with 87 refs. that integrates the pertinent information from immunol. and hematol. to build a more complete understanding of anemia of chronic disorders (ACD) in systemic autoimmune diseases
. ACD is a mild to moderate anemia characterized by decreased serum iron, decreased total iron-binding capacity and increased iron stores that occurs in a wide variety of diseases including cancer, chronic infections and inflammatory disorders. ACD is a parameter of disease activity in systemic autoimmune diseases. The severe inflammatory stimuli responsible

Erich Leeser

for the pathophysiol. of these disorders lead to several systemic changes (referred to as chronic active phase response) through which the organism tries to cope with chronic tissue injuries. These reactions are brought about by inflammation-associated cytokines, like IL-6, IL-1, TNF α , TGF β that regulate hepatic synthesis of acute phase proteins. Many cytokines involved in chronic acute phase response, including IL-1, TNF α , TGF β , have an inhibitory activity on erythroid colony formation in vitro. In addition, circulating TNF α is elevated in rheumatoid arthritis (RA), IL-1 β serum levels are significantly increased in RA with ACD and RA patients treated in vivo with antibodies (Abs) to TNF α show disease improvement, including an increase in Hb values. Reduced erythropoietin (EPO) activity, usually the result of reduced production, plays a role in the pathogenesis of ACD observed in systemic autoimmune diseases. Both the production and the action of EPO may fall under the control of IL-1 and IFN- γ . The most controversial and stimulating aspect of the pathogenesis of ACD in systemic autoimmune disorders is the role of iron metabolism and nitric oxide (NO), which contributes to the regulation of iron cellular metabolism. Both iron deficiency and iron overload may influence the proliferation of B and T lymphocytes and differentially affect T helper (TH)-1 and TH-2 lymphocytes. Furthermore, TH-1 cytokines stimulate and TH-2-type cytokines inhibit NO production. For these reasons, cell-mediated immunity may be expected to have influence on NO synthesis and on the mechanisms leading to iron accumulation in the reticuloendothelial system.

L7 ANSWER 17 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1991:527011 CAPLUS

DOCUMENT NUMBER: 115:127011

TITLE: Method of treating inflammation with cartilage-inducing factor (CIF), and isolation and characterization of CIFs

INVENTOR(S): Bentz, Hanne; Ellingsworth, Larry; Armstrong, Rosa

PATENT ASSIGNEE(S): Collagen Corp., USA

SOURCE: U.S., 14 pp. Cont.-in-part of U.S. 4,806,523.

CODEN: USXXAM

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 3

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4971952	A	19901120	US 1988-263635	19881027 <--
US 4806523	A	19890221	US 1986-836672	19860306 <--
CA 1265445	A1	19900206	CA 1986-514887	19860729 <--
EP 213776	A2	19870311	EP 1986-306000	19860804 <--
EP 213776	A3	19890503		
EP 213776	B1	19921111		
R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
EP 451439	A1	19911016	EP 1991-100255	19860804 <--
EP 451439	B1	19960313		
R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
AT 82133	T	19921115	AT 1986-306000	19860804 <--
AT 135231	T	19960315	AT 1991-100255	19860804 <--
AU 8660875	A	19870212	AU 1986-60875	19860805 <--
AU 591513	B2	19891207		
US 5008240	A	19910416	US 1988-230330	19880809 <--
JP 06228005	A	19940816	JP 1993-337499	19931228 <--
JP 07098754	B	19951025		

50613257

US 5529982 A 19960625 US 1994-347592 19941130 <--
PRIORITY APPLN. INFO.: US 1985-763337 B2 19850806
US 1986-836672 A2 19860306
EP 1986-306000 A 19860804
US 1988-263635 A2 19881027
US 1990-586363 B1 19900921
US 1992-948063 B1 19920921

AB Inflammation, acute and/or chronic, is treated with a CIF, which may be administered locally or systemically, depending on the indication, and does not require coadministration of activator or cofactor for efficacy. CIF-A and -B were isolated from bovine bone, and partial amino acid compns. and amino-terminal sequences were determined [the chain sequence for a CIF homodimer (platelet-derived human transforming growth factor- β monomer) is also shown]. Both CIFs were potent inhibitors of human T-lymphocyte proliferation and also reduced production of IgM and IgG. In a rat arthritis model, treatment with CIF reduced inflammation significantly compared to the nontreated control group. The ability of CIF to suppress inflammation accompanying grafts or transplants were examined. Also reported is histol. evaluation of rats having implants containing

CIF-A/CIF-B and hematopoietic modulation by CIF-A.

L7 ANSWER 18 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 1991:527006 CAPLUS
DOCUMENT NUMBER: 115:127006
TITLE: Biologically active polypeptides based on transforming growth factor- β (TGF- β) sequences, and their use as immunosuppressive agents and antiinflammatory agents
INVENTOR(S): Burnier, John A.; Cianciolo, George J.
PATENT ASSIGNEE(S): Genentech, Inc., USA
SOURCE: PCT Int. Appl., 47 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9014359	A1	19901129	WO 1990-US1826	19900404 <--
W: CA, JP				
RW: AT, BE, CH, DE, DK, ES, FR, GB, IT, LU, NL, SE				
US 5061786	A	19911029	US 1989-356964	19890525 <--
CA 2057896	A1	19901126	CA 1990-2057896	19900404 <--
CA 2057896	C	20000606		
EP 473649	A1	19920311	EP 1990-908073	19900404 <--
EP 473649	B1	19950201		
R: AT, BE, CH, DE, DK, ES, FR, GB, IT, LI, LU, NL, SE				
ES 2070322	T3	19950601	ES 1990-908073	19900404 <--
US 5118791	A	19920602	US 1991-714462	19910613 <--
US 5268455	A	19931207	US 1992-824622	19920123 <--
PRIORITY APPLN. INFO.:			US 1989-356964	A 19890525
			WO 1990-US1826	W 19900404
			US 1991-714462	A3 19910613

OTHER SOURCE(S): MARPAT 115:127006
AB The title polypeptides exclude (a) a full-length mature TGF- β mol. or precursor TGF- β mol. or deletion variants of mature or precursor

Erich Leeser

TGF- β mols. in which from about 1 to 10 amino acid residues have been deleted, (b) a polypeptide of the sequence: Cys-Val-Arg-Gln-Leu-Tyr-Ile-Asp-Phe-Arg-Lys-Asp-Leu-Gly-Trp-Lys, and (c) polypeptide of the sequence: Arg-Asn-Leu-Glu-Glu-Asn-Cys-Cys-Val-Arg-Pro-Leu-Tyr-Ile-Asp-Phe-Arg-Gln-Asp-Leu, said polypeptides comprising amino acid sequences that are based on conserved sequences in the family of TGF- β mols. Such polypeptides are particularly useful therapeutically as immunosuppressive agents when coupled to carrier proteins or crosslinked to form polymers. Thus, an albumin conjugate of a peptide of the invention inhibited proliferation of cultured mink lung cells, stimulated PGE₂ production from fibroblasts, blocked binding of radiolabeled TGF- β to its receptor, inhibited proliferation of human lymphocytes in response to tetanus toxoid or other species, and inhibited human monocyte chemotactic response. The peptide conjugate was also effective in reduction of incidence of type II collagen-induced arthritis in mice.

L7 ANSWER 19 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1991:447573 CAPLUS

DOCUMENT NUMBER: 115:47573

TITLE: Defective neutrophil function in the autoimmune mouse strain MRL/lpr. Potential role of transforming growth factor- β

AUTHOR(S): Gresham, Hattie D.; Ray, Carla J.; O'Sullivan, Frank X.

CORPORATE SOURCE: Res. Serv., Harry S. Truman VA Med Cent., Columbia, MO, 65201, USA

SOURCE: Journal of Immunology (1991), 146(11), 3911-21
CODEN: JOIMA3; ISSN: 0022-1767

DOCUMENT TYPE: Journal

LANGUAGE: English

AB Patients with systemic autoimmune diseases such as SLE and rheumatoid arthritis have increased rates of morbidity and mortality caused by infection. Although this increased risk of infection has been primarily attributed to therapeutic immunosuppression, some reports exist of defective polymorphonuclear leukocytes (PMN) function in these patients. The purpose of the present work is to investigate the recruitment of PMN phagocytic function in a murine model of autoimmunity, the MRL/lpr mouse. PMN from MRL/lpr, but not from congenic MRL/n mice, exhibit a marked defect in the amplification of FcR-mediated phagocytosis stimulated by various inflammatory mediators. This defect is acquired and correlates with the onset of the autoimmune disease observed in this strain. In addition, MRL/lpr but not MRL/n PMN exhibit a defect in extravasation into the thioglycollate-inflamed peritoneum. Incubation of MRL/n PMN in MRL/lpr serum induces a defect in the amplification of PMN phagocytic function identical to that observed with MRL/lpr PMN. The activity in the serum that induces this defect is neutralized by an antibody to transforming growth factor (TGF)- β but not by control antibodies. Incubation of murine and human PMN with purified TGF- β induces an identical defect in stimulated FcR-mediated ingestion. TGF- β -treated MRL/n PMN fail to extravasate into the thioglycollate-inflamed peritoneum after injection into normal MRL/n recipient mice. Direct injection of TGF- β into MRL/n mice also reduces the percentage and number of PMN in the thioglycollate-stimulated peritoneal exudates of these mice. The defect in PMN extravasation and phagocytic function was not caused by failure of the defective PMN to modulate the expression of the adhesion mols., Mac-1 and Mel-14. Thus, defects in PMN function can be observed in a murine model of autoimmunity and spontaneous production of TGF- β possibly may play a crucial role in the pathogenesis of the defective PMN function in this animal model.

50613257

L7 ANSWER 20 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1990:605516 CAPLUS

DOCUMENT NUMBER: 113:205516

TITLE: Method of treating inflammatory disorders by reducing phagocyte activation with transforming growth factor (TGF)- β

INVENTOR(S): Nathan, Carl F.; Narachi, Michael A.

PATENT ASSIGNEE(S): Amgen, Inc., USA

SOURCE: PCT Int. Appl., 20 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9000900	A1	19900208	WO 1989-US3096	19890720 <--
W: AU, JP				
RW: AT, BE, CH, DE, FR, GB, IT, LU, NL, SE				
AU 8940560	A	19900219	AU 1989-40560	19890720 <--
PRIORITY APPLN. INFO.:			US 1988-222579	A 19880720
			WO 1989-US3096	A 19890720

AB Inflammatory disorders involving excessive phagocyte activation (e.g. adult respiratory distress syndrome, rheumatoid arthritis, asthma, emphysema, acute glomerular nephritis, inflammatory bowel disease) are treated by administration of TGF- β 1 or TGF- β 2. Thus, macrophages (source not stated) were activated in vitro with PMA. H2O2 release by the activated macrophages was 50% inhibited by incubation with 0.6 pM TGF- β 1. This inhibition did not result from triggering of the respiratory burst, and was not accompanied by a major loss of phagocytic capacity.

L7 ANSWER 21 OF 21 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1989:51306 CAPLUS

DOCUMENT NUMBER: 110:51306

TITLE: Transforming growth factor - β in the treatment of inflammatory disorders

INVENTOR(S): Shepard, Harold Michael

PATENT ASSIGNEE(S): Genentech, Inc., USA

SOURCE: Eur. Pat. Appl., 9 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 269408	A2	19880601	EP 1987-310341	19871124 <--
EP 269408	A3	19890830		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
JP 63211234	A	19880902	JP 1987-298859	19871126 <--
PRIORITY APPLN. INFO.:			US 1986-935445	A 19861126
			US 1987-116101	A 19871103

AB Methods and compns. are provided for the treatment of inflammatory disorders such as rheumatoid arthritis,

Erich Leeser

50613257

inflammatory bowel disease, systemic lupus erythematosus and the like. Therapeutically EDs of Transforming Growth Factor- β are administered to patients in order to ameliorate these disorders. A patient with nondeforming rheumatoid arthritis with multiple joint involvement and a pos. latex fixation test for rheumatoid factor was treated with direct intraarticular injections of 50 ng human acid-activated TGF- β in isotonic saline in the left knee and 500 ng in 10 mL isotonic saline/day in the right knee, at 3 day intervals for 2 wk (totaling 5 injections). Less accessible joints were treated by an initial systemic (i.v.) loading infusion of 10 μ g TGF- β in 5% dextrose, followed by monitoring of serum TGF- β concns. in order to confirm loading to about 1 ng TGF- β /mL serum. The patient's clin. condition improved as judged by diminution of redness and swelling, increased range of articular motion, increased hand grip strength, etc.

=> FIL STNGUIDE

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

81.88

82.09

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-16.38

-16.38

FILE 'STNGUIDE' ENTERED AT 15:30:50 ON 12 JAN 2007

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE

AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: Jan 5, 2007 (20070105/UP).

=> d his

(FILE 'HOME' ENTERED AT 15:27:23 ON 12 JAN 2007)

FILE 'CAPLUS' ENTERED AT 15:27:37 ON 12 JAN 2007

L1 31500 S TRANSFORMING GROWTH FACTOR BETA

L2 14096 S L1 AND INHIBIT?

L3 4543 S L2 AND DISEASE?

L4 1028 S L3 AND INFLAMMATOR?

L5 148 S L4 AND ARTHRITIS?

L6 59 S L5 AND PY<2003

L7 21 S L6 AND DISORDER?

FILE 'STNGUIDE' ENTERED AT 15:30:50 ON 12 JAN 2007

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.30

82.39

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-16.38

STN INTERNATIONAL LOGOFF AT 15:34:07 ON 12 JAN 2007

Erich Leeser

50613257

Erich Leeser